



MIKALOR W2 Stainless



de hose clamp

The clamp consists of a wide strong steel band made of stainless steel. The screwing out rotating, so the clamp can be put on the hose tail, but also it can be put on from the side without the parts of the clamp falling off.

The clamp was made according to the EU 20032/95/EC regulations.

Material:

The band is stainless steel (AISI 430), the Allen bolt is galvanized steel. The one-piece steel band edges are rounded.

Available from stock with W5 - AISI 316 material grade too!

The clamp can be entirely unfolded.

The product is a permanent storage lots. Meantime, we hold the right of selling the stock in products.

Range of dimensions (mm)	Band length (mm)	Bolt thread / Bolt head width	Clamping force (Nm)	Article number
17 - 19	18	M6 / 8 mm	10	6202 017019
19 - 21	18	M6 / 8 mm	10	6202 019021
21 - 23	18	M6 / 8 mm	10	6202 021023
23 - 25	18	M6 / 8 mm	10	6202 023025
25 - 27	18	M6 / 8 mm	10	6202 025027
27 - 29	18	M6 / 8 mm	10	6202 027029
29 - 31	20	M7 / 10 mm	13	6202 029031
31 - 34	20	M7 / 10 mm	13	6202 031034
34 - 37	20	M7 / 10 mm	13	6202 034037
37 - 40	20	M7 / 10 mm	13	6202 037040
40 - 43	20	M7 / 10 mm	13	6202 040043
43 - 47	20	M7 / 10 mm	16	6202 043047
47 - 51	20	M7 / 10 mm	16	6202 047051
51 - 55	20	M7 / 10 mm	16	6202 051055
55 - 59	20	M7 / 10 mm	16	6202 055059
59 - 63	20	M7 / 10 mm	16	6202 059063
63 - 68	20	M7 / 10 mm	16	6202 063068
68 - 73	20	M8 / 13 mm	30	6202 068073
73 - 79	25	M8 / 13 mm	30	6202 073079
79 - 85	25	M8 / 13 mm	30	6202 079085
85 - 91	25	M8 / 13 mm	30	6202 085091

Range of dimensions (mm)		Band length (mm)	Tightening force (Nm)		Article number
91 - 97		25		30	6202 091097
97 - 104		25		30	6202 097104
104 - 112		25		30	6202 104112
112 - 121		25		30	6202 112121
121 - 130		25		30	6202 121130
130 - 140		25		45	6202 130140
140 - 150		28		45	6202 140150
150 - 162		28	M10 / 15 mm	45	6202 150162
162 - 174		28	M10 / 15 mm	45	6202 162174
174 - 187		28	M10 / 15 mm	45	6202 174187
187 - 200		28	M10 / 15 mm	45	6202 187200
200 - 213		28	M10 / 15 mm	45	6202 200213
213 - 226		28	M10 / 15 mm	45	6202 213226
226 - 239		28	M10 / 15 mm	45	6202 226239
239 - 252		28	M10 / 15 mm	45	6202 239252
252 - 265		28	M10 / 15 mm	45	6202 252265
265 - 278		28	M10 / 15 mm	45	6202 265278
278 - 291		28	M10 / 15 mm	45	6202 278291
291 - 304		28	M10 / 15 mm	45	6202 291304
304 - 317		28	M10 / 15 mm	45	6202 304317
317 - 330		28	M10 / 15 mm	45	6202 317330
330 - 343		28	M10 / 15 mm	45	6202 330343
343 - 356		28	M10 / 15 mm	45	6202 343356
356 - 369		28	M10 / 15 mm	45	6202 356369
369 - 382		28	M10 / 15 mm	45	6202 369382
382 - 395		28	M10 / 15 mm	45	6202 382395
395 - 408		28	M10 / 15 mm	45	6202 395408

